

PharmLabs San Diego Certificate of Analysis



Sample **Titans 1000mg 5ct 7OH (Blue Razz)**

Sample ID SD260212-001 (1104637862431)	Matrix Edible
Tested for Titan Distribution	
Sampled - Analyses executed KTM	Received Feb 11, 2026
	Reported Feb 19, 2026
	Serving Size (g) 0.75

Laboratory note: Photo added per client request.

KTM - Kratom

Analyzed Feb 12, 2026 | Instrument HPLC VWD | Method SOP-KTM
 The expanded uncertainty of the Kratom analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	14.59	145.87	109.40	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	0.17	1.74	1.30	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	
Speciocillatine (SPCL)	0.004	0.011	ND	ND	ND	

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DEA license: **RP0611043**
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Thurs, 19 Feb 2026 10:15:26 -0800

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc.85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any Federal, state, or local law or regulatory, including but not limited to the 2019 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, stored in a retrieval system, or transmitted in any form or by any means, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and portion(s) identified on this COA and do not represent any other lot, batch, or production from the client. Measurement of uncertainty is calculated upon request and, when heavily required, has been reported on this certificate. PharmLabs makes no representation or warranty for the accuracy of the information provided in this COA. The client is responsible for ensuring the accuracy of the information provided in this COA. The client is responsible for ensuring the accuracy of the information provided in this COA. The client is responsible for ensuring the accuracy of the information provided in this COA. The client is responsible for ensuring the accuracy of the information provided in this COA. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

